CLINICAL EEG

ELECTROENCEPHALOGRAPHY

AUTHOR and SUBJECT INDEX

VOL. 5, 1974

INDEX OF AUTHORS

Anderson, Robert L., 129
Appell, Million Ruth, 192
Aznar, Ramon, 61
Barradah, Osamah, 92
Bennett, Donald R., 8
Chernik, D. A., 143
Cortes-Gallegos, Vicente, 61
Dreifuss, F. E., 180
Elwan, Osamah, 92
Gallegos, Alfredo J., 61
Gardner, Reed M., 8
Garvin, John S., 119
Gibbs, Erich L., 152, 192
Gibbs, Frederic A., 6, 112
Gibbs, Trudy J., 192
Hart, Z., 39
Hooshmand, H., 125
Klingenberg, H., 133
Lundervold, A., 49
Mansfield, James B., 103
Mayersdorf, Assa, 73
McFarland, H. Richard, 34
Mendels, J., 143
Menge, K., 39
Pike, Lillian E., 67
Pori, John R., 24
Ramsay, R. E., 199
Rodin, Ernst A., 39, 171
Rowe, William J., 24
Saletu, B., 133
Schear, Harley E., 24
Schlagenhauff, R. E., 113
Smith, B. H., 113
Struve, Frederick A., 67
Synek, V., 88
Taher, Yahia, 92
Tong, H. I., 49
Toyonaga, K., 113
Vanderspek, Hans G., 129
Velasco, Marcos, 61
Velazquez, Xavier, 61
Weinmann, Robert L., 31
Wilder, B. J., 73, 160, 199

INDEX OF SUBJECTS

Vol. 5, No. 1, 2, 3, 4 1974

Abdominal discomfort, and ethosuximide, 180
Absence seizures (Petit mal) and, Brevital activation, 50, 51
— psychiatric patients with sleep EEG, 69, 70
— telemetered EEG, 180-185
— treatment, 34-37, 188, 190, 191
ACTH, treatment of children with hypsarhythmia, 47
Activation of EEG and, Brevital, 49-55, 74, 76, 77, 86
— photic stimulation, 8, 74, 76, 77, 86
— sleep, 39, 49, 50, 53, 55, 67-72, 73-87
Age factor and, children with epilepsy and various EEG findings, 39-48
— mid-temporal and anterior temporal lobe epilepsy, 7
— psychiatric patients with routine admission EEG, 67-72
— sleep patterns, 133
Akinetic seizures, and sleep studies, 75
Alcoholism and, cerebellar syndrome with EEG, 123
— subdural hematoma with PLEDs, 113, 115, 116
Alpha activity and, cerebrovascular disorders, 93-99
— contraceptive medication, 63-66
— drug intoxication, 167, 168, 170
— progressive supranuclear palsy, 32
— pseudotumor cerebri, 126
— sleep in relation to awake brain activity, 134-140
Amenorrhea, and pseudo paroxysmal discharges, 66
American Medical EEG Association, Annual meeting, 5
— round table discussion, drug levels and the EEG, 152-191
Amplitude changes and, anesthetic agents, 162
— Dilantin intoxication, 168
— sleep in relation to awake brain activity, 134-139
Amygdala, and onset of seizures, 185
Anemia, aplastic, and Tegretol, 188
Anesthetic agents, and EEG changes, 162
Angiography, cerebral, and, EEG in chronic cerebrovascular occlusive disorders, 92, 97, 98, 100, 101
— Renografin 60 effect on the EEG, 103-108
Animal studies and, pseudotumor cerebri, 126, 127
— sleep EEG, 73, 86, 87
Antacids, and effect on anti-epileptic medication, 156
Anterior temporal localization and, angiography, 104, 105
— children with normal then abnormal EEG, 41, 46
— contraceptive medication, 61, 63
— mid-temporal differentiation, 7
— psychomotor seizures and Tegretol treatment, 176, 179, (See also Psychomotor seizures)
— sleep studies, 76, 78, 81, 82
— spikes, 7, 41, 46, 76, 78, 81, 82, 123, 176, 179
— spino-cerebellar degenerations, 123
— (See also Temporal localization)
Anti-epileptic drugs and, blood level determinations, 7, 152-200
— children with normal then abnormal EEG in spite of treatment, 39-48
— mixed seizures treatment, 34-38
— normalization of EEG, 162, 172, 188
— psychological aberrations, 199-200
— psychomotor seizures treated with Tegretol, Dilantin and phenobarbital, 171-180
— side effects caused by Dilantin and Celontin, 192-198
— seizures, 7, 34-48, 74, 75, 81, 86, 113, 114, 117, 130, 131, 152-200
— (See also Drugs)
Aphasia, and REM sleep, 140
Artifacts and, sleep in relation to awake brain activity, 134
— telephone transmission, 9, 11, 13, 15, 22, 26-29
Asymmetry and, cerebrovascular disorder, 94, 95, 98, 113, 115, 117
— psychiatric patients with sleep EEG, 69, 70
— subdural hematoma, 113, 115, 117
Ataxia, EEG and hereditary spino-cerebellar degeneration, 119-124
Atherosclerosis, and EEG changes, 92, 98, 101
Atonic seizures, and treatment, 34
Atrophy and, cerebellar degeneration, 119
— temporal lobe seizures, 74
Atropine and, alpha rhythm, 167
— post-trauma normalization, 168

Auditory evoked potentials, and telephone telemetry, 8
Aura, and treatment of mixed seizures, 36
Autonomic seizures, and treament, 34, 35, 37
Awake, brain activity in relation to all-night sleep, 133-142
Behavior disorder and, anti-epileptic drugs, 189, 200
— Brevital activation of EEG, 49
— psychological aberrations associated with anti-epileptic drugs, 199, 200
— psychomotor variant, 130, 131
— sleep-wakefulness cycle, 133, 140
Bell Dataphone, and EEG transmission, 8, 9
Benzodiazepines, and blood concentrations, 156
Beta activity and, anesthetic agents, 162
— meprobamate, 162
— (See also Fast activity)
Birth control medications and, EEG in women, 61-66
— effect on anti-epileptic drugs, 156
— pseudo tumor cerebri, 125, 126
Blood flow and, digital carotid compressions, 88-91
— hypoxia, 92
— occlusion, EEG changes, 92-102
— PLEDs, 117, 118
Blood level determinations, and anti-epileptic drugs, 7, 46, 152-200
Brain stem, and flat EEG, 112
Brevital (methohexitone) and, activation of the EEG, 49-55, 74, 76, 77, 86
Bromide, treatment of children with epilepsy, 43
Burst suppression activity, and anesthetic agents, 162
Carbamazepine, treatment of mixed seizures, 35, 36, 37
Carotid artery, compression and EEG, 88-91, 105
— occlusion and EEG, 92, 98, 100, 101
Catacholamines, depletion, and EEG changes, 161, 162, 167
Catamenial epilepsy, and cortical excitability, 66
Celontin (methsuximide) and, blood level determination, 153, 155
— mixed seizures, 36, 37
— petit mal (absence), 190, 191
— psychomotor, 191
— psychomotor variant, 131
— side effects, 196-198
Central localization and, sigma waves with contraceptive medication, 61, 62
— spikes following normal EEG in children, 41, 44, 46, 48
— spindles with anesthesia, 162
— spindles with sedatives, 162, 167
Centrencephalic discharge, and Brevital activation, 50
— sleep activation, 85
Cerebellar degenerations, and EEG, 119-124
Cerebral death, and EEG telephone telemetry, 6
Cerebrovascular disorders and, digital carotid compression, 88-91
— occlusion, EEG changes, 92-102
— PLEDs, 117, 118
Clonazepam, and treatment of absence seizures, 183
Cocaine, intoxication and EEG, 167, 170, 185
Coma and, drug toxicity, 162, 170
— head trauma, 168
—subdural hematoma with PLEDs, 113
— telephone transmission of EEG, 28
Computer analysis and, petit mal bursts, 183
— seizure alert, 186
— sleep in relation to awake brain activity, 134-140
Confusion and, mixed seizures treatment, 37
— psychomotor variant, 131
— (see also Intellectual function)
Conray (sodium iothalamate), and EEG changes with angiography, 103
Contraceptive medication and, anti-epileptic drugs, 156
— EEG in women, 61-66
— pseudo tumor cerebri, 125, 126
Control subjects and, all-night sleep in relation to awake brain activity, 133-140
Coordination, and Dilantin, 194, 195
Corticotropin, treatment in hypsarhythmia and mixed seizures, 35
Creuzfeldt-Jacob disease, and progressive supranuclear palsy, 32
Death and, EEG determination, 112
— Tegretol, 188
Decortication, and flat EEG, 112
Degenerative disease and, PLEDs, 116, 117
— progressive supranuclear palsy, 31-33
— spino-cerebellar ataxia, 119-124
Delta activity and, anesthetic agents, 162
— Brevital activation, 51
— carotid compression, 89, 90
— cerebrovascular occlusive disorder, 100
— drug intoxication, 162, 168, 170
— heterogeneous system degeneration, 31, 32
— sleep activity, 134-140, 144-146
— subdural hematoma, 113, 117, 118
— (See also Slow activity)
Dementia and, cerebellar degenerations, 119
— supranuclear palsy, 32
— Valium intoxication, 168

Depression, and sleep reversal, 144
Depth recording and, epileptic discharges during sleep studies, 73, 74, 77, 81, 83, 86
— seizure alert, 185
Dextroamphetamine, treatment of mixed seizures, 36, 37
Diamox, and petit mal treatment, 188
— treatment of children with epilepsy, 43
Diazepam (Valium) and, children with epilepsy, 43, 47
— dosage, 172
— intoxication, 166, 168
— mixed seizures, 34, 35
— neurotrophic effects, 161
— normalization of EEG, 162, 172
— pharmacodynamics, 155
— psychomotor variant, 131
— seizures with sleep EEG, 75
— subdural hematoma, seizures and PLEDs, 113
Digital carotid compression, and EEG evaluation, 88-91
Digital computer period analysis and, petit mal bursts, 183
— seizure alert, 186
— sleep in relation to awake brain activity, 134-140
Dilantin (diphenylhydantoin) and, blood level determination, 155, 156, 157, 171
— Brevital blocking, 55
— children with epilepsy, 40, 43, 47
— Diamox, 188
— dosage, 160, 186-189
— intoxication, 162-164, 168
— mixed seizures, 34-37
— psychomotor, 171-178,191, 199, 200
— psychomotor variant, 130, 131
— seizures with sleep EEG, 74, 75, 81, 86
— side effects, 190, 192-198
— subdural hematoma, seizures and PLEDs, 113, 115, 117
Diodrast, and EEG changes in angiography, 103
Di[illegible]ness and, Celontin, 196
— psychomotor variant, 129, 130, 132
Doriden, and EEG changes, 162
Drowsiness and, anesthesia, 161
— anti-epileptic drugs, 154, 160, 175
— spikes in psychomotor, 176
— (See also Sleep)
Drugs and, activation of EEG, 49-55, 74-77, 86
— angiography effect on EEG, 103-108
— anti-epileptic, blood level determinations, 7, 152-200
— contraceptive medication effect on EEG, 61-66
— intoxication, 112, 125, 162-164, 168
— normalization of EEG, 162, 172, 188
— seizures, 7, 34-48, 74, 75, 81, 86, 113, 115, 117, 130, 131, 152-200
— side effects, 190-200
— (See also ACTH, Alcoholism, Atropine, Brevital, Bromide, Carbamazepine, Celontin, Clonazepam, Cocaine, Corticotropin, Dextroamphetamine, Diamox, Dilantin, Doriden, Gemonil, Kanamycin, Lithium, LSD, Marijuana, Mebaral, Megimide, Mellaril, Meprobamate, Mesantoin, Mysoline, Nirvanol, Nitrazepam, Phenobarbital, Phenurone, Placidyl, Renografin 60, Reserpine, Ritalin, Tegretol, Tridione, Valium, and Zarontin)
Editorials, 6, 7, 112
Encephalitis, and periodic activity, 117
Endocrine disorder, and pseudotumor cerebri, 125
Epilepsia partialis continua, and subdural hematoma, 118
Epilepsy and, anti-epileptic drug blood level determinations, 152-193, 197, 199, 200
— mixed types treatment, 6, 34-38
— normal EEG in children becoming abnormal in spite of treatment, 39-48
— pseudo paroxysmal discharges, 65, 66
— psychomotor treatment, 171-180
— sleep studies, 67, 71, 73-87
— status with psychomotor variant, 129-132
— telephone telemetry, 178
— (See also Seizures)
Estrogens, and EEG changes in women, 61-66, 167
Ethosuximide (Zarontin) and blood level determination, 153, 160-162
— dosage, 190, 186
— metabolism, 172
— mixed seizures, 36, 37
— normalization of EEG, 162, 172, 188
— petit mal, 181, 183, 186, 190
— psychological tests, 191
— seizures with sleep EEG, 75
Euphoria, and Dilantin, 195, 199, 200
Eye disorders, (See Visual disturbances)
Fast activity and, anesthetic agents, 162
— Brevital activation, 53, 55
— cerebellar degeneration, 120, 122
— meprobamate, 162
— pseudotumor cerebri, 126
— psychiatric patients, 69, 70
— sleep in relation to awake activity, 73, 134-138, 140
— Valium, 172
Fatigue, and Dilantin, 195
Febrile convulsions and, cerebellar degen-

erative disease, 120
— children with normal then abnormal EEG, 40, 42, 43, 46-48
— mixed seizures treatment, 34
— phenobarbital, 156
Female and, contraceptive medication, 61-66
— pseudotumor cerebri, 129
— sleep-awake cycle, 133, 140
Flattening of EEG and, anesthetic agents, 162
— carotid compression, 89
— death, 112
Focal seizures and, Brevital activation, 50, 51, 53, 54
— PLEDs with subdural hematoma, 116-118
— sleep EEG, 74, 75, 81, 85
— treatment, 35, 40, 43, 48
Focus, (See Anterior temporal, Central, Frontal, Mid-temporal, Occipital, Parietal, and Temporal localization)
Forgetfulness, and anti-epileptic drugs, 192
— (See also Intellectual function)
Fourteen and six per second positive spikes and, cerebellar degeneration, 123
— psychiatric patients with sleep EEG, 67-71
— psychomotor variant, 130
Frequency response, and telephone transmission of EEG, 11, 19, 20, 24
Friedreich's ataxia, and EEG in hereditary spino-cerebellar degenerations, 119, 120
Frontal localization and, angiography, 104, 105
— Brevital activation, 52, 54
— cerebrovascular occlusive disorder, 93
— children with normal then abnormal EEG, 44-46
— heterogeneous system degeneration, 31, 32
— Placidyl intoxication, 168
— Meprobamate, 162, 167
— monorhythmic delta activity, 31, 32
— PLEDs, 113, 114, 115, 118
— Reserpine, 167
— spikes, 44-46, 52, 54
— spindles with drugs, 162, 167
— subdural hematoma, 113-115, 118
Gas-liquid-chromatography, and blood level determinations of anti-epileptic drugs, 7, 152-191
Gemonil (metharbital) and, blood level determinations, 153, 155
— treatment of children with epilepsy, 43
Grand mal seizures and, Brevital activation, 50-54
— pregnancy, 187
— pre-ictal build-up, 185
— sleep activation, 75
— treatment, 34-37, 40, 42, 172, 187, 189
— (See also Febrile convulsions, and Seizures)
Headache and, ethosuximide, 180
— PLEDs, 113
— pseudotumor cerebri, 125
— psychomotor variant, 129, 130, 132
— subdural hematoma, 113
— telephone transmission of EEG, 28, 29
Head injury and, atropine with normalization of EEG, 168
— children with normal then abnormal EEG, 39
— psychomotor variant, 129
— telephone transmission of EEG, 28, 29
— temporal lobe seizures with sleep EEG, 74, 75
Hemiplegia, and cerebrovascular disorder, 94-101
Hepatic encephalopathy, and periodic slow activity, 118
Hereditary spino-cerebellar degenerations, and EEG, 119-124
Heterogeneous system degeneration, and EEG changes, 31-33
Hormones and, contraceptive medication EEG changes, 61-66, 167
— pseudotumor cerebri, 125
Hydocephalus, and pseudotumor cerebri, 125, 126
Hypaque, and angiogram EEG changes, 103
Hypertension and, pseudotumor cerebri, 125-128
— subdural hematoma with PLEDs, 113, 116
Hyperventilation and, pseudo paroxysmal discharges, 63
— spike discharges, 74, 76, 77, 86
Hypothalamus, and depth EEG studies, 77, 81, 83-86
Hypothermia, and flat EEG, 112
Hypoxia and, cerebral blood flow, 92
— digital carotid compression, 88, 89, 91
Hypsarhythmia and, children with epilepsy and nomal then abnormal EEG, 44, 47
— treatment of mixed types of seizures, 34, 35
Hysterical fits, and mixed seizures teratment, 37
Infantile spasms, and treatment in mixed seizures, 34, 35, 47
— (See also Hypsarhythmia)
Infectious disease and, cerebellar syndromes, 123
— PLEDs, 117
Intellectual function and, anti-epileptic drugs, 37, 154, 188, 189, 192, 193,

195, 196, 200
— cerebellar degeneration, 119
— psychomotor variant, 131
— supranuclear palsy, 32
— Valium intoxication, 168
Ischaemic attacks, and cerebrovascular occlusive disorders, 88, 92
Isoniazid, and Dilantin metabolism, 156
Jacob-Creutzfeldt's disease, and PLEDs, 117
Jacksonian seizures and, mixed seizures treatment, 35
— sleep studies, 75
Kanamycin toxicity, and pseudotumor cerebri, 125
Laxatives, and effect on anti-epileptic drugs, 156
Legal aspects of, cerebral death and EEG determination, 112
— telephone transmission of EEG, 6
Leucopenia, and anti-epileptic drugs, 188
Lithium carbonate, and sleep disturbance studies, 144
Louis-Bar syndrome, and EEG, 123
LSD, and intoxication with EEG changes, 167, 170, 185
Mammillary bodies, and depth EEG, 81, 83-85
Marie's hereditary ataxia, and EEG, 119
Marijuana, intoxication and EEG, 167, 170, 185
Masked epilepsy, and telephone telemetry of EEG, 178
Mebaral (Mephobarbital), and blood level determinations, 153, 155
Megimide, activation of EEG, 49
Meglumine diatrizoate (Renografin 60) and, effect on EEG, 103-108
Mellaril, treatment of children with epilepsy, 43
Memory, and anti-epileptic drugs, 154, 196, 200
— (See also Intellectual function)
Meningitis, and pseudotumor cerebri, 125
Menstruation and, contraceptive medication and EEG, 61-66
— pseudotumor cerebri, 125
— REM sleep, 133
— seizures, 188
Mental deterioration, and anti-epileptic drugs, 199
— (See also Degenerative disease)
Mental retardation and, seizure treatment, 40, 42, 43
— sleep EEG, 140
— spino-cerebellar degenerative disease, 120
Meprobamate, and EEG changes, 162
Mercury, intoxication and EEG, 169, 170
Mesantoin (mephenytoin), and blood level determinations, 153, 155
Metabolism, and anti-epileptic drugs, 154-156, 162, 172, 187
— pseudo paroxysmal discharges, 66
— telephone transmission of EEG and metabolic encepholopathies, 28
Metharbital (Gemonil), and blood level determinations, 153, 155
— treatment of children with epilepsy, 43
Methohexital (Brevital) and, activation of spike discharges, 49-55, 74, 76, 77, 86
Methsuximide (Celontin) and, blood level determination, 153, 155
— mixed seizures, 36, 37
— petit mal (absence), 190, 191
— psychomotor, 191
— psychomotor variant, 131
— side effects, 196-198
Mid-temporal localization and, anterior temporal differentiation, 7
— children with normal EEG followed by abnormality, 41, 45, 46, 48
— epilepsy with sleep studies, 76, 78, 81, 82
— psychomotor variant, 129
— spikes, 7, 41, 45, 46, 48, 76, 78, 81, 82, 123
— spino-cerebellar degeneration, 123
— (See also Temporal localization)
Miokon, and angiogram EEG changes, 103
Mittens, and sleep EEG in psychiatric patients, 69, 70
Monorhythmic frontal delta, and spino-cerebellar degenerative lesions, 119
Multiple (poly) spikes, with spike-and-wave discharges in mixed seizures, 34-36
Myoclonic seizures and, sleep studies, 75
— spino-cerebellar degeneration, 119
— treatment, 34, 35, 37, 43, 47
Mysoline (primidone) and, blood level determination, 153, 155
— children with epilepsy, 43
— dosage, 160
— mixed seizures, 35, 36, 37
— psychomotor seizures, 191
— psychomotor variant, 130, 131
— seizures with sleep EEG, 74, 75, 81
— side effects, 199
Nausea and, psychomotor variant, 129, 130
— Zarontin, 186
Neurosis and, Brevital activation of spikes, 50, 55
— Dilantin, 200
— functional fits, 55
Neurotransmission, of discharges, 161, 162
Night workers, and sleep disturbance, 143-148

Nirvanol (phenylethylhydantoin), and blood level determinations, 153, 155
Nitrazepam, and treatment of mixed seizures, 34, 35
Normal EEG and, anti-epileptic drugs, 39-48, 162, 168, 172, 185, 188
— Brevital activation, 51
— cerebrovascular disorders, 93, 100, 101
— children with EEG changes, 39-48
— Dilantin, 162, 168
— head trauma, with atropine, 168
— heterogeneous system degeneration, 31
— Mercury intoxication, 171
— pseudotumor cerebri, 126
— sleep deprivation, 185
— spino-cerebellar degeneration, 123
— subdural hematoma, 117
— Tridione, 162, 172
— Valium, 162, 168, 172
— Zarontin, 162, 172, 188
Obesity and, pseudo paroxysmal discharges, 66
— pseudotumor cerebri, 125, 126
Occipital localization and, cerebrovascular occlusive disorder, 93
— children with normal then abnormal EEG, 41, 44, 46-48
— PLEDs, 116, 117
— spikes, 41, 44, 46-48, 116, 117
Oxazolidinediones, and blood level concentrations, 156
Paramethadione, blocking Brevital activation, 55
Paraplegia, spastic, and spino-cerebellar degeneration, 119
Parietal localization and, children with normal EEG followed by spikes, 44
— (See also Central localization)
Parkinsonism, and subdural hematoma with PLEDs, 116
Pearson Product Moment Correlation, and sleep in relation to awake brain activity, 134-140
Pentetrazole, activation of EEG, 49
Periodic lateralized epileptiform discharges (PLEDs), and subdural hematoma, 113-118
Petit mal seizures (Absence) and, Brevital activation, 50, 51
— psychiatric patients with sleep EEG, 69, 70
— telemetered EEG, 180-185
— treatment, 34-37, 188, 190, 191
Petit mal variant discharge, and psychiatric patients, 71
PGO waves, and sleep studies, 85-87
Phasic integrated potentials (PIPs), and psychosis, 144
Phenobarbital and, blood level determination, 153, 155-157, 160, 161
— children with epilepsy, 40, 43, 47, 156
— EEG changes, 162
— febrile convulsions, 156
— mixed seizures, 35, 36, 37
— psychomotor, 172-178, 199, 200
— psychomotor variant, 130
— seizures with sleep EEG, 74, 75, 81
— side effects, 199, 200
— subdural hematoma with seizures and PLEDs, 113, 115
Phenurone, and toxicity with psychomotor, 191
Phenylethylhydantoin (Nirvanol), and blood level determinations, 153, 155
Photic stimulation and, spikes, 74, 76, 77, 86
— telephone telemetry, 8
PIPs (Phasic integrated potentials), and psychosis, 144
Placidyl, and EEG changes, 162, 166, 168
PLEDs (Periodic lateralized epileptiform discharges), and subdural hematoma, 113-118
Poly spike-wave discharges, and treatment in mixed seizures, 34, 35, 36
Pregnancy and, anti-epileptic drugs, 156-158, 172, 173, 187
— pseudotumor cerebri, 125
Primidone (Mysoline) and, blood level determination, 153, 155
— children with epilepsy, 43
— dosage, 160
— mixed seizures, 35-37
— psychomotor seizures, 191
— psychomotor variant, 130, 131
— seizures with sleep EEG, 74, 75, 81
— side effects, 199
Progesterone, and EEG in women, 61-66
Progressive supranuclear palsy, and EEG changes, 31-33
Pseudo paroxysmal discharges, and contraceptive medication in women, 63-66
Pseudotumor cerebri, and EEG changes, 125-128
Psychiatric patients and, adolescents and adults with routine admission EEG awake and asleep, 67-72
— drug treatment, EEG effect, 167
— REM sleep with PIPs, 144
— sleep in relation to awake EEG, 139, 140
Psychological aberrations and, anti-epileptic drugs, 199, 200
— sleep reversal, 143
Psychological test, performance and, Dilantin, 196

— sleep in relation to awake brain activity, 134-140
— Zarontin, 191
Psychomotor seizures and, Brevital activation, 49-51
— depth recording, 185
— psychomotor variant, 129
— sleep studies, 73-75
— treatment, 34-37, 43, 171-180, 191
Psychomotor variant discharges and, psychiatric patients, 69, 70
— status epilepticus, 129-132
Psychosis and, drug EEG effect, 167
— REM sleep with PIPs, 144
— sleep in relation to awake brain activity, 139, 140
— (See also Psychiatric patients)
Pyridoxine, treatment of children with hypsarhythmia, 47
Rare (exceedingly) fast activity, and Psychiatric patients with sleep EEG, 69, 70
REM sleep and, awake EEG relationship, 133, 134, 139, 140
— reversal of sleep, 143-147
— spike discharges, 73, 74, 79- 82, 85, 86
Renografin 60 (meglumine diatrizoate) and, effect on EEG, 103-108
Reserpine and, catacholamine depletion, 161, 162
— EEG changes, 167
Reticular activating system and, Bervital, 55
— depth recording, 81, 83-87
— heterogeneous system degeneration 31-33
— sleep EEG, 140
Ritalin, treatment of children with epilepsy, 40, 43
Schizophrenia, and sleep in relation to awake brain activity, 139, 140
Sedatives, and EEG activity, 162, 166-168
Seizures and, absence frequency with telemetered EEG, 180-185
— anti-epileptic drug trreament, 34-37, 40-43, 48, 48, 152-193, 197-200
— Brevital activation, 49-55
— children with normal then abnormal EEG, 39-48
— depth recording, 73, 74, 77, 81, 83, 86, 185
— focal discharges with sleep, 73-87
— menstrual cycle, 6
— mixed types treatment, 6, 34-38
— PLEDs with subdural hematoma, 116-118
— pregnancy, 156-158, 172, 173, 187
— pseudo paroxysmal discharges, 65, 66
— psychiatric disorder, 69, 70
— psychomotor treatment, 34-37, 43, 171-180, 191
— psychomotor variant, status, 129-132
— sleep studies, 39, 49, 50, 53, 55, 67-87
— spino-cerebellar degenerations, 119, 120
— subdural hematoma, 113-118
— telemetered EEG, 29, 180-185
— (See also Absence, Akinetic, Atonic, Autonomic, Catamenial, Febrile, Focal, Grand mal, Infantile spasms, Jacksonian, Myoclonic, Petit mal, Psychomotor, and Status epilepticus)
Sharp waves and, anesthetic agents, 162
— birth control pills, 167
— Dilantin toxicity, 162
— psychosis with drug effect, 167
— Mercury intoxication, 170
— REM sleep, 85
— Tegretol effect, 173
— (See also Spikes)
Sickle cell disease, and PLEDs, 117
Side effects and, anti-epileptic drugs, 154, 155, 186-200
Sigma waves (spindles) and, contraceptive medication in women, 61, 62, 64, 66
— (See also Spindles)
Six per second spike and wave discharge and, psychiatric patients with sleep EEG, 69, 70
Sleep and, activation of abnormal EEG, 39, 49, 50, 53, 55, 73-87
— all-night, in relation to awake brain activity, 133-142
— cerebellar degeneration, atypical, 120
— contraceptive medication in women, EEG effect, 61, 62, 64, 66
— focal epileptic discharges, 73-87
— psychiatric patients EEG, 67-72
— psychomotor variant, 129
— reversal, disturbances in daytime sleep patterns, 143-148
— telephone transmission of EEG, 29
Slow activity and, anesthetic agents, 162
— angiography, 103-105
— Brevital, 51-55
— carotid compression, 89, 90
— cerebrovascular disorders, 93-101
— contraceptive medication, 63-66
— drug intoxication, 162-171
— focal discharges in sleep, 73, 74, 78, 79, 81-83, 86
— head trauma, 168
— heterogeneous system degeneration, 31, 32
— progressive supranuclear palsy, 31, 32
— pseudotumor cerebri, 127
— psychiatric patients, 68-70, 167

— psychomotor variant, 129, 130
— sleep activity, 134-140, 144-146
— spino-cerebellar degenerations, 119-123
— subdural hematoma, 113, 117, 118
— Tegretol, 173
Small sharp spikes, and psychiatric patients with sleep EEG, 69, 70
Spike-and-wave activity and, Brevital activation, 49-54
— children with normal the abnormal EEG, 41, 44, 45, 47, 48
— mixed seizures treatment, 34-36
— psychiatric patients, 69, 70, 71
— sleep studies, 69, 70, 74, 77-80, 85
— spino-cerebellar degeneration, 120, 121
— telemetered EEG, 17, 28, 181-184
— (See also Petit mal variant, Six per second spike and wave, and Three per second spike and wave)
Spikes and, anesthetic agents, 162
— Brevital activation, 49-51
— carotid compression, 105
— children with normal the abnormal EEG, 39-48
— Dilantin treatment, 162, 168
— focal discharges with sleep studies, 73-87
— membrane stability, 161
— mixed seizures treatment, 34-36
— normalization of EEG, 162, 172, 188
— PLEDs with subdural hematoma, 113-118
— psychiatric patients with sleep studies, 67-72
— psychomotor seizures with Tegretol treatment, 173-178
— psychomotor variant status, 129-132
— sleep activation, 39, 49, 50, 53, 67-72, 73-87
— spino-cerebellar degeneration, 120, 121, 123
— subdural hematoma, 113-118
— telemetry EEG, 9, 11, 16, 17, 19, 28, 181-184
— (See also spikes with Anterior temporal, Central, Centrencephalic, Fourteen and six, Frontal, Hypsarhythmia, Mid-temporal, Occipital, Parietal, Psychomotor variant, Small sharp spikes, Spike-and-wave and Temporal)
Spindles, sleep, and, anesthetic agents, 162
— awake in relation to sleep activity, 133
— contraceptive medication, 61, 62, 64, 66
— psychiatric patients, 69-71
— sedatives, 162, 167
— spino-cerebellar degeneration, extreme, 120, 122, 123
Spino-cerebellar degenerations, and EEG, 119-124
Status epilepticus and, psychomotor variant, 129-132
— subdural hematoma, 118
— treatment, 35, 43, 47
Strychnine, and neurotrophic effects, 161
Stupor, and subdural hematoma with PLEDs, 113
— (See also Coma)
Subacute sclerosing panencephalitis, and PLEDs, 117
Sub-cortical lesions, and progressive supranuclear palsy, 31-33
Subdural hematoma, and periodic lateralized epileptiform discharges, 113-118
Syncope, and psychomotor variant, 129, 130, 132
Tegretol and, blood level determinations, 153
— hemapoetic poisoning, 188
— psychomotor seizures, 171-178, 191
Telemetry, EEG, and, estimation of absence seizure frequency, 180-185
— seizures treated with Tegretol, 175-179
— telephone transmission, 6, 8-30
Temporal localization and, angiography, 104, 105
— anterior and mid-temporal differentiation, 7
— Brevital activation, 49-51
— cerebrovascular occlusive disorder, 93, 97
— children with normal then abnormal EEG, 41, 45, 46, 48
— contraceptive medication, 61, 63
— epilepsy with sleep studies, 73-82, 86
— marijuana, 185
— phenothiazine activation, 167
— PLEDs, 115
— psychomotor variant, 129-132
— spikes, 7, 35, 36, 41, 45, 46, 48-51, 74, 78, 81, 82, 123, 129-132, 176, 179
— spino-cerebellar degenerations, 123
— Tegretol treatment in psychomotor, 176, 179
— treatment of mixed seizure types, 35, 36
— (See also Anterior, and Mid-temporal localizations)
Theta activity and, anesthetic agents, 162
— Brevital activation, 51-55
— carotid compression, 89, 90

— cerebrovascular occlusive disorder, 100
— Dilantin toxicity, 162
— Placidyl intoxication, 168
— psychosis with drugs, 167
— reserpine, 167
— sleep-awake cycle, 134-140
— sedative abuse, 162
— Valium intoxication, 168
— (See also Slow activity)
Three per second spike and wave discharges, and Brevital activation, 49, 53
— mixed seizures treatment, 34-36
— sleep studies, 74, 77, 85
— (See also Petit mal seizures)
Transmission of EEG (See Telemetry)
Trauma, (See Head injury)
Tremor, and cerebellar degeneration, 119
Tridione (trimethadione) and, blood level determination, 157
— dosage, 160, 161
— normalizing EEG, 162, 172
— mixed seizures treatment, 34
Triphasic patterns, and telephone transmission of EEG, 28
Tumor and, Brevital activation of EEG, 50, 51
— PLEDs, 117
— telephone transmission of EEG, 28
Umbradil, and angiogram, EEG changes, 103
Urografin, and angiogram, EEG changes, 103, 104
Valium (diazepam) and, children with epilepsy, 43, 47
— dosage, 172
— intoxication, 166, 168
— mixed seizures, 34, 35
— neurotrophic effects, 161
— normalization of EEG, 162, 168, 172
— pharmacodynamics, 155
— psychomotor variant, 131
— seizures with sleep EEG, 75
— subdural hematoma, seizures and PLEDs, 113
Vascular disorders, (See Cerebrovascular)
Vitamin A, deficiency, and pseudotumor cerebri, 125
Vitamin B6, and neurotrophic effects, 161
Vitamin B12, deficiency and EEG, 170, 171
Visual disturbances and, pseudotumor cerebri, 125
— psychomotor variant, 129, 130
Vomiting, and pseudotumor cerebri, 125
V waves, and contraceptive medication in women, 62
Women, and, contraceptive medication, EEG abnormalities, 61-66
— pseudotumor cerebri, 129
— sleep-awake cycle, 133, 140
Zarontin (ethosuximide) and, blood level determination, 153, 160-162
— dosage, 190, 186
— metabolism, 172
— mixed seizures, 36, 37
— normalization of EEG, 162, 172, 188
— petit mal, 181, 183, 186, 190
— psychological tests, 191
— seizures with sleep EEG, 75